

Trudgen	Description	Keighery	Description
Excellent	The vegetation is pristine or nearly so, with no obvious signs of damage caused by the activities of European man.	Pristine	Pristine or nearly so, no obvious signs of disturbance.
Very Good	Some relatively slight signs of damage caused by the activities of European man. E.g. some signs of damage to tree trunks caused by repeated fire and the presence of some relatively non-aggressive weeds such as <i>Ursinia anthemoides</i> or <i>Briza</i> sp. or occasional vehicle tracks.	Excellent	Vegetation structure intact, disturbance affecting individual species and weeds are non-aggressive.
Good	More obvious signs of damage caused by the activities of European man, including some obvious impact on the vegetation structure such as caused by low levels of grazing or by selective logging. Weeds as above, possibly some more aggressive ones.	Very Good	Vegetation structure altered, obvious signs of disturbance. For example, disturbance to vegetation structure caused by repeated fires, the presence of some more aggressive weeds, dieback, logging and grazing.
Poor	Still retains basic vegetation structure or ability to regenerate it after very obvious impacts of activities of European man such as grazing or partial clearing (chaining) or very frequent fires. Weeds as above plus some more aggressive ones such as <i>Ehrharta</i> spp.	Good	Vegetation structure significantly altered by very obvious signs of multiple disturbances. Retains basic vegetation structure or ability to regenerate it. For example, disturbance to vegetation structure caused by very frequent fires, the presence of some very aggressive weeds at high density, partial clearing, dieback and grazing.
Very Poor	Severely impacted by grazing, fire clearing or a combination of these activities. Scope for some regeneration but, not to a state approaching good condition without intensive management. Usually a number of weed species including aggressive species.	Degraded	Basic vegetation structure severely impacted by disturbance. Scope for regeneration but not to a state approaching good condition without intensive management. For example, disturbance to vegetation structure caused by very frequent fires, the presence of very aggressive weeds at high density, partial clearing, dieback and grazing.
Completely degraded	Areas that are completely or almost completely without native species in the structure of their vegetation. I.e. areas that are cleared or "parkland cleared" with their flora comprising weed or crop species with isolated native trees or shrubs.	Completely degraded	The structure of the vegetation is no longer intact and the area is completely or almost completely without native species. These areas are often described as 'parkland cleared' with the flora comprising weed or crop species with isolated native trees or shrubs.

## Appendix 1- 2008 Survey Results

Family	Species	Site						
		Q1	Q2	Q3	Q4	Q5	Q6	T1
Anthericaceae	<i>Chamaescilla corymbosa</i> var. <i>corymbosa</i>	+		+	+			
Anthericaceae	<i>Laxmannia squarrosa</i>	OQ					+	
Anthericaceae	<i>Sowerbaea laxiflora</i>	+					+	
Anthericaceae	<i>Thysanotus patersonii</i>		OQ					
Anthericaceae	<i>Thysanotus sparteus</i>				OQ			
Apiaceae	<i>Trachymene pilosa</i>	+	+	+				
Asteraceae	<i>Hypochaeris glabra</i>						+	
Asteraceae	<i>Lagenophora huegelii</i>						+	
Asteraceae	<i>Podolepis gracilis</i>			+		+	2%	
Asteraceae	<i>Podotheca chrysanthia</i>						+	
Asteraceae	<i>Rhodanthe floribunda</i>	OQ			+			
Asteraceae	<i>Ursinia anthemoides</i>		+				+	
Casuarinaceae	<i>Allocasuarina fraseriana</i>				5%			
Casuarinaceae	<i>Allocasuarina humilis</i>						OQ	
Colchicaceae	<i>Burchardia congesta</i>		+			+	+	
Crassulaceae	<i>Crassula colorata</i> var. <i>colorata</i>	OQ						
Cyperaceae	<i>Lepidosperma squamatum</i>						+	
Cyperaceae	<i>Mesomelaena pseudostygia</i>		5%				+	
Cyperaceae	<i>Mesomelaena tetragona</i>				OQ			
Cyperaceae	<i>Schoenus curvifolius</i>				OQ			
Dasygordonaceae	<i>Calectasia narragara</i>						OQ	
Dasygordonaceae	<i>Dasypogon bromeliifolius</i>	+		+	+	+	+	
Dasygordonaceae	<i>Lomandra hermaphrodita</i>		+					
Dasygordonaceae	<i>Lomandra sericea</i>						+	
Dilleniaceae	<i>Hibbertia hypericoides</i>		5%				1%	
Dilleniaceae	<i>Hibbertia racemosa</i>		5%	OQ		+	+	
Dilleniaceae	<i>Hibbertia vaginata</i>	+			+			
Droseraceae	<i>Drosera erythrorhiza</i> subsp. <i>erythrorhiza</i>		+			+	+	
Droseraceae	<i>Drosera menziesii</i> subsp. <i>penicillaris</i>		+			+		
Droseraceae	<i>Drosera porrecta</i>		+				2%	
Epacridaceae	<i>Conostephium pendulum</i>		1%				10%	
Epacridaceae	<i>Leucopogon australis</i>			1%				
Epacridaceae	<i>Leucopogon conostephoides</i>			+		5%	40%	
Epacridaceae	<i>Lysinema ciliatum</i>				OQ		OQ	
Euphorbiaceae	<i>Monotaxis occidentalis</i>		+					
Goodeniaceae	<i>Dampiera linearis</i>		+			+	+	+
Goodeniaceae	<i>Goodenia pulchella</i> subsp. <i>Coastal Plain</i>			OQ				
Goodeniaceae	<i>Lechenaultia floribunda</i>		OQ					
Haemodoraceae	<i>Anigozanthos humilis</i> subsp. <i>humilis</i>						OQ	
Haemodoraceae	<i>Conostylis aculeata</i> subsp. <i>aculeata</i>		1%			2%	+	+
Haemodoraceae	<i>Conostylis juncea</i>				+			
Haemodoraceae	<i>Conostylis setigera</i> subsp. <i>setigera</i>						OQ	
Haemodoraceae	<i>Phlebocarya ciliata</i>	4%	+	+	35%			
Iridaceae	<i>Patersonia occidentalis</i> var. <i>occidentalis</i>				OQ		+	
Lamiaceae	<i>Hemiandra pungens</i>						+	OQ
Lauraceae	<i>Cassytha</i> sp.			1%				
Lobeliaceae	<i>Lobelia tenuior</i>						OQ	
Loganiaceae	<i>Phyllangium paradoxum</i>	+						
Mimosaceae	<i>Acacia applanata</i>		+			+		
Mimosaceae	<i>Acacia huegelii</i>					+		OQ
Mimosaceae	<i>Acacia insolita</i> subsp. <i>insolita</i>				+			
Myrtaceae	<i>Astartea affinis</i>			+				

Myrtaceae	Astartea sp. Gingalup (N. Gibson & M. Lyons 119)	30%	+	
Myrtaceae	Calytrix angulata	+	+	
Myrtaceae	Calytrix flavescentia		+	
Myrtaceae	Calytrix fraseri		OQ	
Myrtaceae	Corymbia calophylla	+	4%	
Myrtaceae	Eremaea asterocarpa subsp. asterocarpa	1%		OQ
Myrtaceae	Eremaea pauciflora		OQ	
Myrtaceae	Eucalyptus marginata			30%
Myrtaceae	Hypocalymma angustifolium	15%	8%	+
Myrtaceae	Hypocalymma robustum			+
Myrtaceae	Kunzea glabrescens			+
Myrtaceae	Melaleuca preissiana	1%		
Myrtaceae	Melaleuca rhamphophylla		20%	
Myrtaceae	Pericalymma ellipticum var. floridum	25%		35%
Myrtaceae	Scholtzia involucrata		+	
Orchidaceae	Caladenia discoidea		+	
Orchidaceae	Caladenia flava			+
Orchidaceae	Caladenia flava subsp. flava	+	+	
Orchidaceae	Diuris magnifica			+
Orchidaceae	Elythranthera brunonis	+		
Orchidaceae	Pterostylis sanguinea		+	
Orchidaceae	Pyrorchis nigricans	+		+
Orchidaceae	Thelymitra sp.		OQ	
Papilionaceae	Aotus gracillima		1%	
Papilionaceae	Bossiaea eriocarpa	1%	5%	+
Papilionaceae	Daviesia incrassata subsp. incrassata			OQ
Papilionaceae	Euchiopsis linearis	30%	3%	
Papilionaceae	Gompholobium tomentosum		+	+
Papilionaceae	Hovea trisperma var. trisperma			OQ
Papilionaceae	Isotropis cuneifolia subsp. cuneifolia			+
Papilionaceae	Jacksonia furcellata		+	
Papilionaceae	Jacksonia sericea		+	
Papilionaceae	Jacksonia sternbergiana			OQ
Poaceae	Amphipogon turbinatus	40%	OQ	
Poaceae	Ehrharta calycina			+
Poaceae	Thyridolepis multiculmis		+	
Proteaceae	Adenanthes obovatus			OQ
Proteaceae	Banksia attenuata	15%	+	25% 2%
Proteaceae	Banksia ilicifolia			5%
Proteaceae	Banksia menziesii	20%		5% 10%
Proteaceae	Conospermum capitatum subsp. glabratum			2%
Proteaceae	Persoonia saccata			3%
Proteaceae	Petrophile linearis	1%	+	+
Proteaceae	Stirlingia latifolia			1%
Proteaceae	Synaphea spinulosa subsp. spinulosa			OQ
Restionaceae	Desmocladus flexuosus	+	5%	+
Restionaceae	Dielsia stenostachya		40%	
Restionaceae	Hypolaena exsulca	+	5%	+
Restionaceae	Lyginia imberbis	+	OQ	+
Rutaceae	Boronia crenulata subsp. viminea			1%
Rutaceae	Philotheca spicata		OQ	+
Santalaceae	Leptomeria pauciflora	5%		
Stylidiaceae	Stylium aff. androsaceum		+	
Stylidiaceae	Stylium guttatum		+	
Stylidiaceae	Stylium piliferum	OQ	OQ	+

Styliaceae	<i>Stylium repens</i>	+	+	+	+	
Styliaceae	<i>Stylium scariosum</i>		+			
Styliaceae	<i>Stylium schoenoides</i>		+			
Thymelaeaceae	<i>Pimelea rosea</i> subsp. <i>rosea</i>					OQ
Xanthorrhoeaceae	<i>Xanthorrhoea preissii</i>	1%	5%	4%		
Zamiaceae	<i>Macrozamia riedlei</i>				2%	

## Appendix 2 -2015 Survey Results

Species	Family	Weed	Transect 24-09-15
<i>Acacia applanata</i>	Mimosaceae		✓
<i>Acacia huegelii</i>	Mimosaceae		
<i>Acacia insolita</i> subsp. <i>insolita</i>	Mimosaceae		
<i>Adenanthes obovatus</i>	Proteaceae		✓
<i>Allocasuarina fraseriana</i>	Casuarinaceae		✓
<i>Allocasuarina humilis</i>	Casuarinaceae		✓
<i>Amphipogon turbinatus</i>	Poaceae		
<i>Anigozanthos humilis</i> subsp. <i>humilis</i>	Haemodoraceae		✓
<i>Aotus gracillima</i>	Papilionaceae		✓
<i>Astartea affinis</i>	Myrtaceae		
<i>Astartea</i> sp. <i>Gingalup</i>	Myrtaceae		✓
<i>Banksia attenuata</i>	Proteaceae		✓
<i>Banksia ilicifolia</i>	Proteaceae		✓
<i>Banksia menziesii</i>	Proteaceae		✓
<i>Boronia crenulata</i> subsp. <i>viminea</i>	Rutaceae		✓
<i>Briza</i> sp.	Poaceae		✓
<i>Bossiaea eriocarpa</i>	Papilionaceae		✓
<i>Burchardia congesta</i>	Colchicaceae		✓
<i>Caladenia discoidea</i>	Orchidaceae		
<i>Caladenia flava</i>	Orchidaceae		✓
<i>Caladenia flava</i> subsp. <i>flava</i>	Orchidaceae		
<i>Calectasia grandiflora</i>	Dasygordonaceae		✓
<i>Calytrix angulata</i>	Myrtaceae		
<i>Calytrix flavescens</i>	Myrtaceae		✓
<i>Calytrix fraseri</i>	Myrtaceae		✓
<i>Cassytha</i> sp.	Lauraceae		
<i>Chamaescilla corymbosa</i> var. <i>corymbosa</i>	Anteriacaceae		✓
<i>Conospermum capitatum</i> subsp. <i>glabratum</i>	Proteaceae		
<i>Conostephium pendulum</i>	Epacridaceae		✓
<i>Conostylis aculeata</i> subsp. <i>aculeata</i>	Haemodoraceae		
<i>Conostylis juncea</i>	Haemodoraceae		✓
<i>Conostylis setigera</i> subsp. <i>setigera</i>	Haemodoraceae		✓
<i>Corymbia calophylla</i>	Myrtaceae		✓
<i>Crassula colorata</i> var. <i>colorata</i>	Crassulaceae		
<i>Dampiera linearis</i>	Goodeniaceae		✓
<i>Dasygordon bromeliifolius</i>	Dasygordonaceae		✓
<i>Daviesia incrassata</i> subsp. <i>incrassata</i>	Papilionaceae		✓
<i>Desmocladus flexuosus</i>	Restionaceae		
<i>Dielsia stenostachya</i>	Restionaceae		
<i>Diuris magnifica</i>	Orchidaceae		
<i>Drosera erythrorhiza</i> subsp. <i>erythrorhiza</i>	Droseraceae		✓
<i>Drosera menziesii</i> subsp. <i>penicillaris</i>	Droseraceae		✓
<i>Drosera porrecta</i>	Droseraceae		✓
<i>Ehrharta calycina</i>	Poaceae		
<i>Elythranthera brunonis</i>	Orchidaceae		✓
<i>Eremaea asterocarpa</i> subsp. <i>asterocarpa</i>	Myrtaceae		
<i>Eremaea pauciflora</i>	Myrtaceae		✓
<i>Eucalyptus marginata</i>	Myrtaceae		✓
<i>Euchiloglossa linearis</i>	Papilionaceae		
<i>Gompholobium tomentosum</i>	Papilionaceae		✓
<i>Goodenia pulchella</i> subsp. <i>Coastal Plain A</i>	Goodeniaceae		
<i>Hemiandra pungens</i>	Lamiaceae		✓

<i>Hibbertia hypericoides</i>	Dilleniaceae	✓
<i>Hibbertia racemosa</i>	Dilleniaceae	✓
<i>Hibbertia vaginata</i>	Dilleniaceae	✓
<i>Hovea trisperma</i> var. <i>trisperma</i>	Papilionaceae	
<i>Hypocalymma angustifolium</i>	Myrtaceae	✓
<i>Hypocalymma robustum</i>	Myrtaceae	✓
<i>Hypocharis glabra</i>	Asteraceae	*
<i>Hypolaena exsulca</i>	Restionaceae	
<i>Isotropis cuneifolia</i> subsp. <i>cuneifolia</i>	Papilionaceae	✓
<i>Jacksonia furcellata</i>	Papilionaceae	✓
<i>Jacksonia sericea</i>	Papilionaceae	✓
<i>Jacksonia sternbergiana</i>	Papilionaceae	✓
<i>Kunzea glabrescens</i>	Myrtaceae	✓
<i>Lagenophora huegelii</i>	Asteraceae	
<i>Laxmannia squarrosa</i>	Anthericaceae	✓
<i>Lechenaultia floribunda</i>	Goodeniaceae	
<i>Lepidosperma squamatum</i>	Cyperaceae	
<i>Leptomeria pauciflora</i>	Santalaceae	
<i>Leucopogon australis</i>	Epacridaceae	✓
<i>Leucopogon conostephoides</i>	Epacridaceae	✓
<i>Lobelia tenuior</i>	Lobeliaceae	✓
<i>Lomandra hermaphrodita</i>	Dasypogonaceae	✓
<i>Lomandra sericea</i>	Dasypogonaceae	?
<i>Lyginia imberbis</i>	Restionaceae	
<i>Lysinema ciliatum</i>	Epacridaceae	
<i>Macrozamia riedlei</i>	Zamiaceae	✓
<i>Melaleuca preissiana</i>	Myrtaceae	✓
<i>Melaleuca rhamphophylla</i>	Myrtaceae	✓
<i>Mesomelaena pseudostygia</i>	Cyperaceae	✓
<i>Mesomelaena tetragona</i>	Cyperaceae	✓
<i>Monotaxis occidentalis</i>	Euphorbiaceae	
<i>Patersonia occidentalis</i> var. <i>occidentalis</i>	Iridaceae	✓
<i>Pericalymma ellipticum</i> var. <i>floridum</i>	Myrtaceae	
<i>Persoonia saccata</i>	Proteaceae	✓
<i>Petrophile linearis</i>	Proteaceae	✓
<i>Philotheeca spicata</i>	Rutaceae	✓
<i>Phlebocarya ciliata</i>	Haemodoraceae	
<i>Phyllangium paradoxum</i>	Loganiaceae	
<i>Pimelea rosea</i> subsp. <i>rosea</i>	Thymelaeaceae	✓
<i>Podolepis gracilis</i>	Asteraceae	
<i>Podotheca chrysanthia</i>	Asteraceae	
<i>Pterostylis sanguinea</i>	Orchidaceae	?
<i>Pyrorchis nigricans</i>	Orchidaceae	
<i>Rhodanthe floribunda</i>	Asteraceae	✓
<i>Schoenus curvifolius</i>	Cyperaceae	
<i>Scholtzia involucrata</i>	Myrtaceae	?
<i>Sowerbaea laxiflora</i>	Anthericaceae	✓
<i>Stirlingia latifolia</i>	Proteaceae	✓
<i>Stylium aff. androsaceum</i>	Stylidiaceae	
<i>Stylium guttatum</i>	Stylidiaceae	
<i>Stylium piliferum</i>	Stylidiaceae	✓
<i>Stylium repens</i>	Stylidiaceae	
<i>Stylium scariosum</i>	Stylidiaceae	
<i>Stylium schoenoides</i>	Stylidiaceae	
<i>Synaphea spinulosa</i> subsp. <i>spinulosa</i>	Proteaceae	✓
<i>Thelymitra</i> sp.	Orchidaceae	✓

<i>Thyridolepis multiculmis</i>	Poaceae	
<i>Thysanotus patersonii</i>	Anthericaceae	✓
<i>Thysanotus sparteus</i>	Anthericaceae	
<i>Trachymene pilosa</i>	Apiaceae	✓
<i>Ursinia anthemoides</i>	Asteraceae	*
<i>Xanthorrhoea preissii</i>	Xanthorrhoeaceae	✓
<b>Additional Species</b>		
<i>Eucalyptus gomphocephala</i>	Myrtaceae	✓
<i>Banksia nivea</i>	Proteaceae	✓
<i>Carpobrotus virescens</i>	Aizoaceae	✓
<i>Isopogon linearis</i>	Proteaceae	✓
<i>Ptilotus manglesii</i>	Amaranthaceae	✓
<i>Xylomelum occidentalis</i>	Proteaceae	✓
<i>Chamelaucium micranthum</i>	Myrtaceae	✓
<i>Nuytsia floribunda</i>	Loranthaceae	✓
<i>Synaphea spinulosa</i>	Proteaceae	✓
<i>Macarthuria australis</i>	Molluginaceae	✓
<i>Isotropis cuneifolia</i>	Fabaceae	✓
<i>Tricoryne tenella</i>	Hemerocallidaceae	✓
<i>Podolepis gardneri</i>	Asteraceae	✓
<i>Lysinema ciliatum</i>	Ericaceae	✓
<i>Hybanthus calycinus</i>	Thymelaeaceae	✓
<i>Burchardia bairdiae</i>	Colchicaceae	✓
<i>Lomandra suaveolens</i>	Asparagaceae	✓
<i>Zantedeschia aethiopica</i>	Araceae	*
<i>Watsonia meriana</i>	Iridaceae	*

**Appendix 3: Scoring method used for assessing Black Cockatoo foraging habitat value (Majority of Property)**

Site Characteristics	Criteria	Score
	1. Vegetation condition of foraging species (dead vegetation - drought, fire, dieback, clearing). Score 0-3.	3
	2. Diversity of foraging species present. Score 0-3.	3
Site Condition	3. Types of foraging species present (low, medium or high priority species based on Birdlife Australia foraging species list for Black Cockatoo). Score 0-3.	3
Species Stocking Rate	4. Density of foraging species (plants/hectare) calculated based on mean distance between plants. Score 0-3.	3
	5. Evidence of species usage of the habitat (current, recent, old, historical). Score 0-3.	2
	6. Extent of species usage of habitat. Score 0-3.	2
Site Context	7. Proximity to other (off-site) foraging habitat. Score 0-3	1
<b>Total score (0-21).</b> 0-5 = low, 6-10 = moderate, 11 - 15 = good, 16 - 21 = excellent		17

## Appendix 4: Referral guidelines

### High risk of significant impacts: referral recommended

- Clearing of any known nesting tree (see glossary).
- Clearing or degradation of any part of a vegetation community known to contain breeding habitat (see Section 3).
- Clearing of more than 1 ha of quality<sup>1</sup> foraging habitat<sup>2</sup> (see Table 1).
- Clearing or degradation (including pruning the top canopy) of a known night roosting site (see glossary).
- Creating a gap of greater than 4 km between patches of black cockatoo habitat (breeding, foraging or roosting).

### Uncertainty: referral recommended or contact the department

- Degradation (such as through altered hydrology or [fire regimes](#)) of more than 1 ha of foraging habitat<sup>7</sup>. Significance will depend on the level and extent of degradation and the quality of the habitat.
- Clearing or disturbance in areas surrounding black cockatoo breeding, foraging or night roosting habitat that has the potential to degrade habitat through introduction of invasive species, edge effects, hydrological changes, increased human visitation or fire.
- Actions that do not directly affect the listed species but that have the potential for indirect impacts such as increasing competitors for nest hollows.
- Actions with the potential to introduce known plant diseases such as *Phytophthora* spp. to an area where the pathogen was not previously known.

### Low risk of significant impacts: referral may not be required

- Actions that do not affect black cockatoo habitat or individuals.
- Actions whose impacts occur outside the modeled distribution of the three black cockatoos.

<sup>1</sup> Quality should be assessed as it pertains specifically to black cockatoo use of the habitat. For example, the condition of the understorey is a standard component of most ecological habitat quality surveys but is of limited relevance to considerations for some black cockatoos, particularly in relation to breeding habitat which may consist of mature woodland canopy with little or no understorey.

<sup>2</sup> Maintaining the availability of foraging habitat is especially important in the breeding range, as sufficient foraging habitat within a 6–12 km radius of breeding sites is necessary to successfully raise chicks. Maintaining foraging habitat is also particularly important in the Perth metropolitan area, due to the role of these feeding areas in the survival of young birds and the maintenance of the population between breeding seasons, coupled with the lack of habitat remaining in this region and its connectivity values.

### Appendix 5 – Tree Survey results

Species	Diameter (cm)	Hollows	Longitude (UTM)	Latitude (UTM)
Marri	86	Hollows Forming	392707	6431423
Marri	65	Hollows Forming	392727	6431362
Marri	76	Hollows Forming	392740	6431328
Jarrah	87	Hollows Forming	392766	6431578
Jarrah	80	Hollows Forming	392828	6431306
Marri	72	Hollows Forming	392841	6431758
Jarrah	74	Hollows Forming	392845	6431515
Marri	67	Hollows Forming	392869	6431747
Marri	88	Hollows Forming	392877	6431450
Jarrah	72	Hollows present	392877	6431298
Jarrah	98	Hollows present	392884	6431722
Marri	66	Hollows Forming	392890	6431459
Jarrah	68	Hollows Forming	392915	6431543
Marri	89	Hollows Forming	392917	6431630
Tuart	67	Hollows Forming	392948	6431713
Marri	86	Hollows Forming	392949	6431675
Jarrah	92	Hollows Forming	392977	6431265
Marri	102	Hollows present	392987	6431728
Marri	120	Hollows present	392988	6431238
Marri	112	Hollows present	392997	6431267
Jarrah	85	Hollows Forming	393007	6431243
Jarrah	72	Hollows Forming	393018	6430920
Jarrah	97	Hollows Forming	393020	6431262
Jarrah	90	Hollows Forming	393020	6430922
Jarrah	62	Hollows Forming	393020	6431262
Jarrah	72	Hollows Forming	393020	6430922
Jarrah	82	Hollows Forming	393021	6430919
Jarrah	96	Hollows present	393029	6431727
Jarrah	120	Hollows Forming	393031	6431779
Jarrah	92	Hollows present	398328	6441760
Marri	82	Hollows present	398328	6441766
Marri	77	Hollows Forming	405785	6432920
Jarrah	64	Hollows Forming	405831	6432964

# NatureMap Species Report

Created By Guest user on 22/09/2015

Current Names Only Yes  
 Core Datasets Only Yes  
 Method 'By Circle'  
 Centre 115°51' 43" E, 32°15' 02" S  
 Buffer 5km  
 Group By Conservation Status

Conservation Status	Species	Records
Non-conservation taxon	541	3577
Priority 1	1	1
Priority 3	6	14
Priority 4	6	27
Priority 5	2	184
Protected under international agreement	8	49
Rare or likely to become extinct	7	34
<b>TOTAL</b>	<b>571</b>	<b>3886</b>

Name ID	Species Name	Naturalised	Conservation Code	'Endemic To Query Area'
---------	--------------	-------------	-------------------	-------------------------

#### Rare or likely to become extinct

1.	1596 <i>Caladenia huegelii</i> (Grand Spider Orchid)	T
2.	24784 <i>Calidris ferruginea</i> (Curlew Sandpiper)	T
3.	24731 <i>Calyptorhynchus banksii</i> subsp. <i>naso</i> (Forest Red-tailed Black-Cockatoo)	T
4.	24734 <i>Calyptorhynchus latirostris</i> ( <i>Carnaby's Cockatoo</i> ) (short-billed black-cockatoo), ( <i>Carnaby's Cockatoo</i> )	T
5.	24092 <i>Dasyurus geoffroii</i> (Chuditch, Western Quoll)	T
6.	12938 <i>Diuris micrantha</i>	T
7.	1639 <i>Drakaea elastica</i> (Glossy-leaved Hammer Orchid)	T

#### Protected under international agreement

8.	41323 <i>Actitis hypoleucos</i> (Common Sandpiper)	IA
9.	41324 <i>Ardea modesta</i> (Eastern Great Egret)	IA
10.	24786 <i>Calidris melanotos</i> (Pectoral Sandpiper)	IA
11.	24788 <i>Calidris ruficollis</i> (Red-necked Stint)	IA
12.	24293 <i>Haliaeetus leucogaster</i> (White-bellied Sea-Eagle)	IA
13.	24598 <i>Merops ornatus</i> (Rainbow Bee-eater)	IA
14.	24806 <i>Tringa glareola</i> (Wood Sandpiper)	IA
15.	24808 <i>Tringa nebularia</i> (Common Greenshank)	IA

#### Priority 1

16.	16633 <i>Boronia juncea</i> subsp. <i>juncea</i>	P1
-----	--	----

#### Priority 3

17.	16245 <i>Cyathochaeta teretifolia</i>	P3
18.	20462 <i>Jacksonia gracillima</i>	P3
19.	25147 <i>Lerista lineata</i> (Perth Slider, Lined Skink)	P3
20.	25249 <i>Neelaps calonotos</i> (Black-striped Snake)	P3
21.	7756 <i>Stylidium longitubum</i> (Jumping Jacks)	P3
22.	25800 <i>Stylidium paludicola</i>	P3

#### Priority 4

23.	141 <i>Aponogeton hexalepalus</i> (Stalked Water Ribbons)	P4
24.	4763 <i>Dodonaea hackettiana</i> (Hackett's Hopbush)	P4
25.	24133 <i>Macropus irma</i> (Western Brush Wallaby)	P4
26.	24328 <i>Oxyura australis</i> (Blue-billed Duck)	P4
27.	17850 <i>Stylidium ireneae</i>	P4
28.	33992 <i>Synemon gratiosa</i> (Graceful Sunmoth)	P4

#### Priority 5

29.	25478 <i>Isoodon obesulus</i> (Southern Brown Bandicoot)	P5
30.	24153 <i>Isoodon obesulus</i> subsp. <i>fusciventer</i> (Quenda, Southern Brown Bandicoot)	P5

#### Non-conservation taxon

31.	15466 <i>Acacia appiantha</i>
-----	-------------------------------

Name ID	Species Name	Naturalised	Conservation Code	'Endemic To Query Area'
32.	<i>Acacia huegelii</i>			
33.	<i>Acacia stenoptera</i> (Narrow Winged Wattle)			
34.	<i>Acacia willdenowiana</i> (Grass Wattle)			
35.	<i>Acanthiza apicalis</i> (Broad-tailed Thornbill, Inland Thornbill)			
36.	<i>Acanthiza chrysorrhoa</i> (Yellow-rumped Thornbill)			
37.	<i>Acanthiza inornata</i> (Western Thornbill)			
38.	<i>Acanthorhynchus superciliosus</i> (Western Spinebill)			
39.	<i>Accipiter cirrocephalus</i> (Collared Sparrowhawk)			
40.	<i>Accipiter cirrocephalus</i> subsp. <i>cirrocephalus</i> (Collared Sparrowhawk)			
41.	<i>Accipiter fasciatus</i> (Brown Goshawk)			
42.	<i>Accipiter fasciatus</i> subsp. <i>fasciatus</i> (Brown Goshawk)			
43.	<i>Acratoscincus trilineatus</i> (Western Three-lined Skink)			
44.	<i>Acrocephalus australis</i> (Australian Reed Warbler)			
45.	<i>Actinotus glomeratus</i>			
46.	<i>Adenanthes cygnorum</i> (Common Woollybush)			
47.	<i>Adenanthes cygnorum</i> subsp. <i>cygnorum</i> (Common Woollybush)			
48.	<i>Adenanthes obovatus</i> (Basket Flower)			
49.	<i>Aرافللاccilla huntorum</i>			Y
50.	<i>Agrostocrinum scabrum</i> (Blue Grass Lily)			
51.	<i>Aira caryophyllea</i> (Silvery Hairgrass)			Y
52.	<i>Aira praecox</i> (Early Hairgrass)			Y
53.	<i>Allocasuarina fraseriana</i> (Sheoak, Kondil)			
54.	<i>Amperea ericoides</i>			
55.	<i>Amphipogon laguroides</i> subsp. <i>laguroides</i>			
56.	<i>Amphipogon turbinatus</i>			
57.	<i>Aname mainae</i>			
58.	<i>Anas gracilis</i> (Grey Teal)			
59.	<i>Anas rhynchos</i> (Australasian Shoveler)			
60.	<i>Anas superciliosa</i> (Pacific Black Duck)			
61.	<i>Anigozanthos humilis</i> subsp. <i>humilis</i>			
62.	<i>Anigozanthos manglesii</i> subsp. <i>manglesii</i>			
63.	<i>Anigozanthos viridis</i> (Green Kangaroo Paw, Kurulbardang)			
64.	<i>Anthochaera carunculata</i> (Red Wattlebird)			
65.	<i>Anthochaera lunulata</i> (Western Little Wattlebird)			
66.	<i>Antechinus variabilis</i>			
67.	<i>Aotus cordifolia</i>			
68.	<i>Aotus gracillima</i>			
69.	<i>Aotus procumbens</i>			
70.	<i>Aphelia cyperoides</i>			
71.	<i>Aprasia repens</i> (Sand-plain Worm-lizard)			
72.	<i>Aquila audax</i> (Wedge-tailed Eagle)			
73.	<i>Araneus cyphoxis</i>			
74.	<i>Araneus senicaudatus</i>			
75.	<i>Arcyria cinerea</i>			
76.	<i>Arcyria incarnata</i>			
77.	<i>Ardea novaehollandiae</i> (White-faced Heron)			
78.	<i>Ardea pacifica</i> (White-necked Heron)			
79.	<i>Argiope protensa</i>			
80.	<i>Arnocrinum preissii</i>			
81.	<i>Artamus cinereus</i> (Black-faced Woodswallow)			
82.	<i>Artamus cyanopterus</i> (Dusky Woodswallow)			
83.	<i>Artoria flavimana</i>			
84.	<i>Artoria limaei</i>			
85.	<i>Artoriopsis expolita</i>			
86.	<i>Astartea affinis</i>			
87.	<i>Astartea scoparia</i>			
88.	<i>Astroloma ciliatum</i> (Candle Cranberry)			
89.	<i>Astroloma pallidum</i> (Kick Bush)			
90.	<i>Austrostipa compressa</i>			
91.	<i>Avena fatua</i> (Wild Oat)			Y
92.	<i>Aythya australis</i> (Hardhead)			Y
93.	<i>Babiana nana</i>			
94.	<i>Backobourkia brounii</i>			
95.	<i>Banksia attenuata</i> (Slender Banksia, Piara)			
96.	<i>Banksia grandis</i> (Bull Banksia, Pulgarla)			
97.	<i>Banksia illicifolia</i> (Holly-leaved Banksia)			
98.	<i>Banksia menziesii</i> (Firewood Banksia)			
99.	<i>Baumea acuta</i> (Pale Twig-rush)			
100.	<i>Baumea vaginalis</i> (Sheath Twigrush)			
101.	<i>Beaufortia elegans</i>			

Name ID	Species Name	Naturalised	Conservation Code	'Endemic To Query Area'
102.	<i>Biziura lobata</i> (Musk Duck)			
103.	<i>Boronia crenulata</i> (Aniseed Boronia)			
104.	<i>Boronia crenulata</i> subsp. <i>viminea</i>			
105.	<i>Boronia dichotoma</i>			
106.	<i>Boronia ramosa</i> subsp. <i>anethifolia</i>			
107.	<i>Borya scirpoidea</i>			
108.	<i>Bossiaea eriocarpa</i> (Common Brown Pea)			
109.	<i>Brachyscome iberidifolia</i>			
110.	<i>Briza maxima</i> (Blowfly Grass)	Y		
111.	<i>Briza minor</i> (Shivery Grass)	Y		
112.	<i>Bromus diandrus</i> (Great Brome)	Y		
113.	<i>Bromus hordeaceus</i> (Soft Brome)	Y		
114.	<i>Bulbine semibarbata</i> (Leek Lily)			
115.	<i>Burchardia bairdiae</i>			
116.	<i>Burchardia congesta</i>			
117.	<i>Burchardia multiflora</i> (Dwarf Burchardia)			
118.	<i>Cacatua roseicapilla</i> (Galah)			
119.	<i>Cacatua sanguinea</i> (Little Corella)			
120.	<i>Cacomantis flabelliformis</i> (Fan-tailed Cuckoo)			
121.	<i>Cacomantis pallidus</i> (Pallid Cuckoo)			
122.	<i>Caesia micrantha</i> (Pale Grass Lily)			
123.	<i>Caesia occidentalis</i>			
124.	<i>Caladenia discoidea</i> (Dancing Orchid)			
125.	<i>Caladenia flava</i> (Cowslip Orchid)			
126.	<i>Caladenia flava</i> subsp. <i>flava</i>			
127.	<i>Caladenia longicauda</i> subsp. <i>calcigena</i>			
128.	<i>Caladenia nobilis</i>			
129.	<i>Calandrinia granulifera</i> (Pygmy Purslane)			
130.	<i>Calothamnus lateralis</i>			
131.	<i>Calyptrorhynchus banksii</i> (Red-tailed Black-Cockatoo)			
132.	<i>Calytrix flavescens</i> (Summer Starflower)			
133.	<i>Calytrix fraseri</i> (Pink Summer Calytrix)			
134.	<i>Cartonema phylloides</i>			
135.	<i>Cassytha micrantha</i>			
136.	<i>Cassytha racemosa</i> (Dodder Laurel)			
137.	<i>Cassytha racemosa</i> forma <i>pilosa</i>			
138.	<i>Cassytha racemosa</i> forma <i>racemosa</i>			
139.	<i>Centella asiatica</i>			
140.	<i>Centrolepis aristata</i> (Pointed Centrolepis)			
141.	<i>Centrolepis drummondiana</i>			
142.	<i>Centrolepis inconspicua</i>			
143.	<i>Centrolepis mutica</i>			
144.	<i>Cerastium glomeratum</i> (Mouse Ear Chickweed)	Y		
145.	<i>Cercophanous sulcatus</i>			
146.	<i>Chamaescilla corymbosa</i> (Blue Squill)			
147.	<i>Charadrius ruficapillus</i> (Red-capped Plover)			
148.	<i>Chenonetta jubata</i> (Australian Wood Duck, Wood Duck)			
149.	<i>Chorizandra enodis</i> (Black Bristlerush)			
150.	<i>Christinus marmoratus</i> (Marbled Gecko)			
151.	<i>Chrysococcyx basalis</i> (Horsfield's Bronze Cuckoo)			
152.	<i>Cincloramphus cruralis</i> (Brown Songlark)			
153.	<i>Circus approximans</i> (Swamp Harrier)			
154.	<i>Cladorhynchus leucocephalus</i> (Banded Stilt)			
155.	<i>Colluricinclia harmonica</i> (Grey Shrike-thrush)			
156.	<i>Columba livia</i> (Domestic Pigeon)	Y		
157.	<i>Comesperma calymega</i> (Blue-spike Milkwort)			
158.	<i>Comesperma virgatum</i> (Milkwort)			
159.	<i>Conostephium pendulum</i> (Pearl Flower)			
160.	<i>Conostephium preissii</i>			
161.	<i>Conostylis aculeata</i> (Prickly Conostylis)			
162.	<i>Conostylis aculeata</i> subsp. <i>aculeata</i>			
163.	<i>Conostylis juncea</i>			
164.	<i>Conostylis setosa</i> (White Cottonhead)			
165.	<i>Conyzia bonariensis</i> (Flaxleaf Fleabane)			
166.	<i>Coracina novaehollandiae</i> (Black-faced Cuckoo-shrike)			
167.	<i>Cormocephalus novaehollandiae</i>			
168.	<i>Cortinarius phalarus</i>			
169.	<i>Corvus coronoides</i> (Australian Raven)			
170.	<i>Corynotheca micrantha</i> (Sand Lily)			
171.	<i>Coturnix pectoralis</i> (Stubble Quail)			

Name ID	Species Name	Naturalised	Conservation Code	'Endemic To Query Area'
172.	<i>Cracticus tibicen</i> (Australian Magpie)			
173.	<i>Cracticus tibicen</i> subsp. <i>dorsalis</i> (White-backed Magpie)			
174.	<i>Cracticus torquatus</i> (Grey Butcherbird)			
175.	<i>Crassula colorata</i> (Dense Stonecrop)			
176.	<i>Crassula colorata</i> var. <i>colorata</i>			
177.	<i>Cryptoblepharus buchananii</i>			
178.	<i>Ctenophorus adelaidensis</i> (Southern Heath Dragon, Western Heath Dragon)			
179.	<i>Ctenotus australis</i>			
180.	<i>Ctenotus fallens</i>			
181.	<i>Cyathochaeta avenacea</i>			
182.	<i>Cyclosa trilobata</i>			
183.	<i>Cygnus atratus</i> (Black Swan)			
184.	<i>Cyperus tenellus</i> (Tiny Flat-sedge)			
185.	<i>Dacelo novaeguineae</i> (Laughing Kookaburra)			
186.	<i>Dacryopinax spathularia</i>			
187.	<i>Dampiera alata</i> (Winged-stem Dampiera)			
188.	<i>Dampiera linearis</i> (Common Dampiera)			
189.	<i>Daphoenositta chrysoptera</i> (Varied Sittella)			
190.	<i>Dasypogon bromeliifolius</i> (Pineapple Bush)			
191.	<i>Daviesia angulata</i>			
192.	<i>Daviesia physodes</i>			
193.	<i>Delma fraseri</i> (Fraser's Legless Lizard)			
194.	<i>Delma grayii</i>			
195.	<i>Descomyces angustisporus</i>			
196.	<i>Desmodiandra flexuosa</i>			
197.	<i>Deyauxia quadrisetosa</i> (Reed Bentgrass)			
198.	<i>Dianella revoluta</i> (Blueberry Lily)			
199.	<i>Dianella revoluta</i> var. <i>divaricata</i>			
200.	<i>Dicaeum hirundinaceum</i> (Mistletoebird)			
201.	<i>Dichelachne crinita</i> (Longhair Plumegrass)			
202.	<i>Dichopogon capillipes</i>			
203.	<i>Dielsia stenostachya</i>			
204.	<i>Dischisma arenarium</i>			
205.	<i>Dischisma capitatum</i> (Woolly-headed Dischisma)			
206.	<i>Diuris corymbosa</i>			
207.	<i>Diuris magnifica</i>			
208.	<i>Drosera bulbosa</i> (Red-leaved Sundew)			
209.	<i>Drosera erythrorhiza</i> (Red Ink Sundew)			
210.	<i>Drosera gigantea</i> (Giant Sundew)			
211.	<i>Drosera gigantea</i> subsp. <i>geniculata</i>			
212.	<i>Drosera glanduligera</i> (Pimpernel Sundew)			
213.	<i>Drosera heterophylla</i> (Swamp Rainbow)			
214.	<i>Drosera macrantha</i> (Bridal Rainbow)			
215.	<i>Drosera menziesii</i> (Pink Rainbow)			
216.	<i>Drosera menziesii</i> subsp. <i>menziesii</i>			
217.	<i>Drosera menziesii</i> subsp. <i>penicillaris</i>			
218.	<i>Drosera oreopodion</i>			
219.	<i>Drosera paleacea</i> subsp. <i>paleacea</i>			
220.	<i>Drosera pulchella</i> (Pretty Sundew)			
221.	<i>Drosera stolonifera</i> (Leafy Sundew)			
222.	<i>Ehrhartia brevifolia</i> var. <i>cuspidata</i>			
223.	<i>Ehrhartia calycina</i> (Perennial Veldt Grass)			
224.	<i>Elythranthera brunonis</i> (Purple Enamel Orchid)			
225.	<i>Epilobium billardiereanum</i> subsp. <i>cinereum</i> (Variable Willow Herb)			
226.	<i>Epilobium ciliatum</i>			
227.	<i>Eragrostis elongata</i> (Clustered Lovegrass)			
228.	<i>Eremaea asterocarpa</i> subsp. <i>asterocarpa</i>			
229.	<i>Eriophora biapicata</i>			
230.	<i>Eryngium pinnatifidum</i> subsp. <i>pinnatifidum</i>			
231.	<i>Eucalyptus marginata</i> (Jarrah, Djara)			
232.	<i>Eucalyptus rudis</i> (Flooded Gum, Kulurda)			
233.	<i>Euchiloglossa linearis</i> (Swamp Pea)			
234.	<i>Eutaxia virgata</i>			
235.	<i>Evandra pauciflora</i>			
236.	<i>Falco cenchroides</i> (Australian Kestrel)			
237.	<i>Falco cenchroides</i> subsp. <i>chenchroides</i> (Australian Kestrel)			
238.	<i>Falco longipennis</i> (Australian Hobby)			
239.	<i>Felis catus</i> (Cat)			
240.	<i>Fulica atra</i> (Eurasian Coot)			
241.	<i>Fulica atra</i> subsp. <i>australis</i> (Eurasian Coot)			
				Y

Name ID	Species Name	Naturalised	Conservation Code	'Endemic To Query Area'
242	<i>Gallinula tenebrosa</i> (Dusky Moorhen)			
243.	<i>Gallinula ventralis</i> (Black-tailed Native-hen)			
244.	<i>Gastrolobium ebracteolatum</i>			
245.	<i>Gerygone fusca</i> (Western Gerygone)			
246.	<i>Gladiolus caryophyllaceus</i> (Wild Gladiolus)			Y
247	<i>Gompholobium marginatum</i>			
248.	<i>Gompholobium tomentosum</i> (Hairy Yellow Pea)			
249.	<i>Gonocarpus pithyoides</i>			
250.	<i>Goodenia pulchella</i>			
251.	<i>Grallina cyanoleuca</i> (Magpie-lark)			
252.	<i>Grammatotheca bergiana</i> var. <i>bergiana</i>			Y
253.	<i>Grevillea pilulifera</i> (Woolly-flowered Grevillea)			
254.	<i>Gyrostemon subnudus</i>			
255.	<i>Haemodorum laxum</i>			
256.	<i>Haemodorum sparsiflorum</i>			
257.	<i>Haemodorum spicatum</i> (Mardja)			
258.	<i>Hakea marginata</i>			
259.	<i>Hakea prostrata</i> (Harsh Hakea)			
260.	<i>Hakea varia</i> (Variable-leaved Hakea)			
261.	<i>Haliastur indus</i> (Brahminy Kite)			
262.	<i>Haliastur sphenurus</i> (Whistling Kite)			
263.	<i>Hamirostra isura</i> (Square-tailed Kite)			
264.	<i>Hardenbergia comptoniana</i> (Native Wisteria)			
265.	<i>Heleioporus eyrei</i> (Moaning Frog)			
266.	<i>Heliotropium pusilla</i>			Y
267.	<i>Hemianдра pungens</i> (Snakebush)			
268.	<i>Hemiergis quadrilineata</i>			
269.	<i>Hensmania turbinata</i>			
270.	<i>Hibbertia commutata</i>			
271.	<i>Hibbertia hypericoides</i> (Yellow Buttercups)			
272.	<i>Hibbertia perfoliata</i>			
273.	<i>Hibbertia racemosa</i> (Stalked Guinea Flower)			
274.	<i>Hibbertia subvaginata</i>			
275.	<i>Hibbertia vaginata</i>			
276.	<i>Himantopus himantopus</i> (Black-winged Stilt)			
277.	<i>Hirundo neoxena</i> (Welcome Swallow)			
278.	<i>Holasteron perth</i>			
279.	<i>Holconia westralia</i>			
280.	<i>Holcus setiger</i> (Annual Fog)			Y
281.	<i>Holoplatys dejongi</i>			
282.	<i>Homalosciadium homalocarpum</i>			
283.	<i>Hovea trisperma</i> (Common Hovea)			
284.	<i>Hovea trisperma</i> var. <i>trisperma</i>			
285.	<i>Hydrocotyle blepharocarpa</i>			
286.	<i>Hydrocotyle scutellifera</i>			
287.	<i>Hypocalymma angustifolium</i> (White Myrtle, Kudjid)			
288.	<i>Hypocalymma angustifolium</i> subsp. <i>Swan Coastal Plain</i> (G.J. Keighery 16777)			
289.	<i>Hypocalymma robustum</i> (Swan River Myrtle)			
290.	<i>Hypochaeris glabra</i> (Smooth Caisear)			Y
291.	<i>Hypolaena exsulca</i>			
292.	<i>Idiomma blackwallii</i>			
293.	<i>Idiosoma sigillatum</i>			
294.	<i>Inocybe rufuloides</i>			Y
295.	<i>Isolepis cernua</i> (Nodding Club-rush)			
296.	<i>Isolepis cyperoides</i>			
297.	<i>Isolepis marginata</i> (Coarse Club-rush)			
298.	<i>Isolepis oldfieldiana</i>			
299.	<i>Isolepis stellata</i> (Star Club-rush)			
300.	<i>Isopeda leishmanni</i>			
301.	<i>Isotoma hypocrateriformis</i> (Woodbridge Poison)			
302.	<i>Isotropis cuneifolia</i> (Granny Bonnets)			
303.	<i>Jacksonia furcellata</i> (Grey Stinkwood)			
304.	<i>Jacksonia sternbergiana</i> (Stinkwood, Kapur)			
305.	<i>Juncus pauciflorus</i> (Loose Flower Rush)			
306.	<i>Kennedia prostrata</i> (Scarlet Runner)			
307.	<i>Kennedia stirlingii</i> (Bushy Kennedia)			
308.	<i>Kunzea ericifolia</i> (Spearwood, Pondil)			
309.	<i>Kunzea glabrescens</i> (Spearwood)			
310.	<i>Lachnagrostis filiformis</i>			
311.	<i>Lachnagrostis plebeia</i>			

Name ID	Species Name	Naturalised	Conservation Code	'Endemic To Query Area'
312.	19956 <i>Lachnagrostis preissii</i>			
313.	<i>Lampona cylindrata</i>			
314.	28342 <i>Landoltia punctata</i> ( <i>Thin Duckweed</i> )			
315.	4052 <i>Latrobea tenella</i>			
316.	<i>Latrodectus hasseltii</i>			
317.	1307 <i>Laxmannia ramosa</i> ( <i>Branching Lily</i> )			
318.	1309 <i>Laxmannia squarrosa</i>			
319.	7568 <i>Lechenaultia biloba</i> ( <i>Blue Leschenaultia</i> )			
320.	7572 <i>Lechenaultia expansa</i>			
321.	7574 <i>Lechenaultia floribunda</i> ( <i>Free-flowering Leschenaultia</i> )			
322.	39038 <i>Leccarpus fragilis</i>			
323.	44490 <i>Leontodon rhagadioloides</i>			Y
324.	925 <i>Lepidosperma angustatum</i>			
325.	937 <i>Lepidosperma longitudinale</i> ( <i>Pithy Sword-sedge</i> )			
326.	944 <i>Lepidosperma scabrum</i>			
327.	29150 <i>Lepidosperma</i> sp. <i>Margaret River</i> (B.J. Lepisch 1841)			
328.	946 <i>Lepidosperma striatum</i>			
329.	1653 <i>Leporella fimbriata</i> ( <i>Hare Orchid</i> )			
330.	19833 <i>Leptocarpus laxus</i>			
331.	1080 <i>Lepyrodia muiri</i>			
332.	25131 <i>Lerista distinguenda</i>			
333.	25133 <i>Lerista elegans</i>			
334.	6360 <i>Leucopogon australis</i> ( <i>Spiked Beard-heath</i> )			
335.	6374 <i>Leucopogon conostephoides</i>			
336.	7676 <i>Levenhookia pusilla</i> ( <i>Midget Stylewort</i> )			
337.	7677 <i>Levenhookia stipitata</i> ( <i>Common Stylewort</i> )			
338.	25005 <i>Lialis burtonis</i>			
339.	31280 <i>Lichenomphalia chromacea</i>			
340.	31333 <i>Lichenomphalia umbellifera</i>			
341.	25661 <i>Lichmera indistincta</i> ( <i>Brown Honeyeater</i> )			
342.	25415 <i>Limnodynastes dorsalis</i> ( <i>Western Banjo Frog</i> )			
343.	9289 <i>Lobelia anceps</i> ( <i>Angled Lobelia</i> )			
344.	7407 <i>Lobelia rhytidosperma</i> ( <i>Wrinkled-seeded Lobelia</i> )			
345.	7408 <i>Lobelia tenuior</i> ( <i>Slender Lobelia</i> )			
346.	1223 <i>Lomandra caespitosa</i> ( <i>Tufted Mat Rush</i> )			
347.	1228 <i>Lomandra hermaphrodita</i>			
348.	1232 <i>Lomandra micrantha</i> ( <i>Small-flower Mat-rush</i> )			
349.	1234 <i>Lomandra nigricans</i>			
350.	1239 <i>Lomandra preissii</i>			
351.	1243 <i>Lomandra sericea</i> ( <i>Silky Mat Rush</i> )			
352.	1246 <i>Lomandra suaveolens</i>			
353.	1198 <i>Luzula meridionalis</i> ( <i>Field Woodrush</i> )			
354.	39048 <i>Lycogala epidendrum</i>			
355.	<i>Lycosa ariadnae</i>			
356.	1097 <i>Lyginia barbata</i>			
357.	18049 <i>Lyginia imberbis</i>			
358.	6458 <i>Lysinema elegans</i>			
359.	2839 <i>Macarthuria australis</i>			
360.	24132 <i>Macropus fuliginosus</i> ( <i>Western Grey Kangaroo</i> )			
361.	85 <i>Macrozamia riedlei</i> ( <i>Zamia, Djiridji</i> )			
362.	24326 <i>Malacorhynchus membranaceus</i> ( <i>Pink-eared Duck</i> )			
363.	25654 <i>Malurus splendens</i> ( <i>Splendid Fairy-wren</i> )			
364.	24583 <i>Manorina flavigula</i> ( <i>Yellow-throated Miner</i> )			
365.	17694 <i>Meeboldina scariosa</i>			
366.	25758 <i>Megalurus gramineus</i> ( <i>Little Grassbird</i> )			
367.	37580 <i>Melaleuca acutifolia</i>			
368.	5926 <i>Melaleuca lateritia</i> ( <i>Robin Redbreast Bush</i> )			
369.	5952 <i>Melaleuca preissiana</i> ( <i>Moonah</i> )			
370.	5978 <i>Melaleuca teretifolia</i> ( <i>Banbar</i> )			
371.	5980 <i>Melaleuca thymoides</i>			
372.	5987 <i>Melaleuca viminea</i> ( <i>Mohan</i> )			
373.	13280 <i>Melaleuca viminea</i> subsp. <i>viminea</i>			
374.	25184 <i>Menetia greyii</i>			
375.	955 <i>Mesomelaena pseudostygia</i>			
376.	957 <i>Mesomelaena tetragona</i> ( <i>Semaphore Sedge</i> )			
377.	25693 <i>Microeca fascinans</i> ( <i>Jacky Winter</i> )			
378.	485 <i>Microlaena stipoides</i> ( <i>Weeping Grass</i> )			
379.	15419 <i>Microlis media</i> subsp. <i>media</i>			
380.	37440 <i>Monopsis debilis</i> var. <i>depressa</i>			
381.	4662 <i>Monotaxis grandiflora</i> ( <i>Diamond of the Desert</i> )			Y

Name ID	Species Name	Naturalised	Conservation Code	'Endemic To Query Area'
382.	4666 <i>Monotaxis occidentalis</i>			
383.	25191 <i>Morethia lineoocellata</i>			
384.	25192 <i>Morethia obscura</i>			
385.	24223 <i>Mus musculus</i> ( <i>House Mouse</i> )			Y
386.	6192 <i>Myriophyllum drummondii</i>			
387.	24738 <i>Neophema elegans</i> ( <i>Elegant Parrot</i> )			
388.	492 <i>Neurachne alopecuroides</i> ( <i>Foxtail Mulga Grass</i> )			
389.	<i>Nicodamus mainae</i>			
390.	25748 <i>Ninox novaeseelandiae</i> ( <i>Boobook Owl</i> )			
391.	25252 <i>Notechis scutatus</i> ( <i>Tiger Snake</i> )			
392.	2401 <i>Nuytsia floribunda</i> ( <i>Christmas Tree, Mudja</i> )			
393.	25564 <i>Nycticorax caledonicus</i> ( <i>Rufous Night Heron</i> )			
394.	<i>Ocrisia parmeliae</i>			
395.	24407 <i>Ocyphaps lophotes</i> ( <i>Crested Pigeon</i> )			
396.	<i>Ommatoiulus moreletii</i>			
397.	12782 <i>Ophioglossum gramineum</i>			
398.	24085 <i>Oryctolagus cuniculus</i> ( <i>Rabbit</i> )			Y
399.	4358 <i>Oxalis purpurea</i> ( <i>Largeflower Wood Sorrel</i> )			Y
400.	25679 <i>Pachycephala pectoralis</i> ( <i>Golden Whistler</i> )			
401.	25680 <i>Pachycephala rufiventris</i> ( <i>Rufous Whistler</i> )			
402.	24693 <i>Pachyptila desolata</i> ( <i>Antarctic Prion</i> )			
403.	1667 <i>Paracaleana nigrita</i> ( <i>Flying Duck Orchid</i> )			
404.	516 <i>Parapholis incurva</i> ( <i>Coast Barbgrass</i> )			Y
405.	25253 <i>Parasuta gouldii</i>			
406.	25681 <i>Pardalotus punctatus</i> ( <i>Spotted Pardalote</i> )			
407.	25682 <i>Pardalotus striatus</i> ( <i>Striped Pardalote</i> )			
408.	7090 <i>Parentucellia viscosa</i> ( <i>Sticky Bartsia</i> )			Y
409.	528 <i>Paspalum distichum</i> ( <i>Water Couch</i> )			Y
410.	1550 <i>Patersonia occidentalis</i> ( <i>Purple Flag, Koma</i> )			
411.	30471 <i>Patersonia occidentalis</i> var. <i>angustifolia</i>			
412.	24648 <i>Pelecanus conspicillatus</i> ( <i>Australian Pelican</i> )			
413.	6006 <i>Pericalymma ellipticum</i> ( <i>Swamp Teatree</i> )			
414.	16477 <i>Pericalymma ellipticum</i> var. <i>ellipticum</i>			
415.	2273 <i>Persoonia saccata</i> ( <i>Snottygobble</i> )			
416.	24659 <i>Petroica goodenovii</i> ( <i>Red-capped Robin</i> )			
417.	2299 <i>Petrophile linearis</i> ( <i>Pixie Mops</i> )			
418.	25697 <i>Phalacrocorax carbo</i> ( <i>Great Cormorant</i> )			
419.	25698 <i>Phalacrocorax melanoleucos</i> ( <i>Little Pied Cormorant</i> )			
420.	24667 <i>Phalacrocorax sulcirostris</i> ( <i>Little Black Cormorant</i> )			
421.	25699 <i>Phalacrocorax varius</i> ( <i>Pied Cormorant</i> )			
422.	24409 <i>Phaps chalcoptera</i> ( <i>Common Bronzewing</i> )			
423.	18529 <i>Philotheeca spicata</i> ( <i>Pepper and Salt</i> )			
424.	1173 <i>Philydrella pygmaea</i> ( <i>Butterfly Flowers</i> )			
425.	1478 <i>Phlebocarya ciliata</i>			
426.	<i>Phryganoporus candidus</i>			
427.	24596 <i>Phylidonyris novaehollandiae</i> ( <i>New Holland Honeyeater</i> )			
428.	4675 <i>Phyllanthus calycinus</i> ( <i>False Boronia</i> )			
429.	39071 <i>Physarum luteolum</i>			Y
430.	39079 <i>Physarum viride</i>			
431.	<i>Phytophthora cinnamomi</i>			
432.	11404 <i>Pimelea imbricata</i> var. <i>major</i>			
433.	5252 <i>Pimelea lanata</i>			
434.	5254 <i>Pimelea leucantha</i>			
435.	24841 <i>Platalea flavipes</i> ( <i>Yellow-billed Spoonbill</i> )			
436.	25720 <i>Platycercus icterotis</i> ( <i>Western Rosella</i> )			
437.	24747 <i>Platycercus spurius</i> ( <i>Red-capped Parrot</i> )			
438.	24750 <i>Platycercus zonarius</i> subsp. <i>semitorquatus</i> ( <i>Twenty-eight Parrot</i> )			
439.	25007 <i>Plestola gracilis</i> subsp. <i>gracilis</i> ( <i>Kealed Legless Lizard</i> )			
440.	38825 <i>Pluteus pauperulus</i>			
441.	573 <i>Poa drummondiana</i> ( <i>Knotted Poa</i> )			
442.	25703 <i>Podargus strigoides</i> ( <i>Tawny Frogmouth</i> )			
443.	25704 <i>Podiceps cristatus</i> ( <i>Great Crested Grebe</i> )			
444.	8175 <i>Podolepis gracilis</i> ( <i>Slender Podolepis</i> )			
445.	8182 <i>Podotheca angustifolia</i> ( <i>Sticky Longheads</i> )			
446.	24907 <i>Pogona minor</i> subsp. <i>minor</i> ( <i>Dwarf Bearded Dragon</i> )			
447.	24681 <i>Poliocephalus poliocephalus</i> ( <i>Hoary-headed Grebe</i> )			
448.	582 <i>Polypogon monspeliensis</i> ( <i>Annual Beardgrass</i> )			Y
449.	583 <i>Polypogon tenellus</i>			
450.	25722 <i>Polytelis anthopeplus</i> ( <i>Regent Parrot</i> )			
451.	4691 <i>Poranthera microphylla</i> ( <i>Small Poranthera</i> )			

Name ID	Species Name	Naturalised	Conservation Code	<sup>1</sup> Endemic To Query Area
452.	<i>Porphyrio porphyrio</i> (Purple Swamphen)			
453.	<i>Prasophyllum drummondii</i> (Swamp Leek Orchid)			
454.	<i>Prasophyllum hians</i> (Yawning Leek Orchid)			
455.	<i>Prasophyllum plumiforme</i>			
456.	<i>Pseudonaja affinis</i> (Dugite)			
457.	<i>Pseudonaja affinis</i> subsp. <i>affinis</i> (Dugite)			
458.	<i>Pseudonaja mengdeni</i> (Western Brown Snake)			
459.	<i>Pterostylis recurva</i> (Jug Orchid)			
460.	<i>Pterostylis vittata</i> (Banded Greenhood)			
461.	<i>Ptilotus drummondii</i> (Narrowleaf Mulla Mulla)			
462.	<i>Pultenaea reticulata</i>			
463.	<i>Rattus rattus</i> (Black Rat)			Y
464.	<i>Recurvirostra novaehollandiae</i> (Red-necked Avocet)			
465.	<i>Rhipidura leucophrys</i> (Willie Wagtail)			
466.	<i>Rhodanthe citrina</i>			
467.	<i>Romulea rosea</i> (Guildford Grass)			Y
468.	<i>Rytidosperma acerosum</i>			
469.	<i>Scaevola canescens</i> (Grey Scaevola)			
470.	<i>Scaevola phleopetala</i> (Velvet Fanflower)			
471.	<i>Schoenolaena juncea</i>			
472.	<i>Schoenus clandestinus</i>			
473.	<i>Schoenus curvifolius</i>			
474.	<i>Schoenus efoliatus</i>			
475.	<i>Schoenus humilis</i>			
476.	<i>Schoenus pedicellatus</i>			
477.	<i>Schoenus subbulbosus</i>			
478.	<i>Schoenus tenellus</i>			
479.	<i>Scholtzia involucrata</i> (Spiked Scholtzia)			
480.	<i>Sericornis frontalis</i> (White-browed Scrubwren)			
481.	<i>Servaea melanica</i>			
482.	<i>Servaea spinibarbis</i>			Y
483.	<i>Silene gallica</i> (French Catchfly)			
484.	<i>Siloxerus humifusus</i> (Procumbent Siloxerus)			
485.	<i>Simaetha tenuior</i>			
486.	<i>Simoselaps bertholdi</i> (Jan's Banded Snake)			
487.	<i>Smicronyx brevirostris</i> (Weebill)			
488.	<i>Solanum nigrum</i> (Black Berry Nightshade)			Y
489.	<i>Sonchus oleraceus</i> (Common sow-thistle)			Y
490.	<i>Sowerbaea laxiflora</i> (Purple Tassels)			
491.	<i>Steatoda grossa</i>			
492.	<i>Stemonitis lignicola</i>			
493.	<i>Stemonitis splendens</i>			
494.	<i>Stirlingia latifolia</i> (Blueboy)			
495.	<i>Strepera versicolor</i> (Grey Currawong)			
496.	<i>Streptopelia chinensis</i> (Spotted Turtle-Dove)			Y
497.	<i>Streptopelia chinensis</i> subsp. <i>tigrina</i> (Spotted Turtle-Dove)			Y
498.	<i>Streptopelia senegalensis</i> (Laughing Turtle-Dove)			Y
499.	<i>Stylidium araeophyllum</i>			
500.	<i>Stylidium brunonianum</i> (Pink Fountain Triggerplant)			
501.	<i>Stylidium calcaratum</i> (Book Triggerplant)			
502.	<i>Stylidium carnosum</i> (Fleshy-leaved Triggerplant)			
503.	<i>Stylidium divaricatum</i> (Daddy-long-legs)			
504.	<i>Stylidium diversifolium</i> (Touch-me-not)			
505.	<i>Stylidium guttatum</i> (Dotted Triggerplant)			
506.	<i>Stylidium piliferum</i> (Common Butterfly Triggerplant)			
507.	<i>Stylidium repens</i> (Matted Triggerplant)			
508.	<i>Stylidium roseoalatum</i> (Pink-wing Triggerplant)			
509.	<i>Stylidium schoenoides</i> (Cow Kicks)			
510.	<i>Stylidium utricularioides</i> (Pink Fan Triggerplant)			
511.	<i>Stypandra glauca</i> (Blind Grass)			
512.	<i>Synaphea polymorpha</i> (Albany Synaphea, Pinda)			
513.	<i>Synaphea spinulosa</i>			
514.	<i>Synaphea spinulosa</i> subsp. <i>spinulosa</i>			
515.	<i>Tachybaptus novaehollandiae</i> (Australasian Grebe, Black-throated Grebe)			
516.	<i>Tachybaptus novaehollandiae</i> subsp. <i>novaehollandiae</i> (Australasian Grebe, Black-throated Grebe)			
517.	<i>Tadorna tadornoides</i> (Australian Shelduck, Mountain Duck)			
518.	<i>Tamopsis distinguenda</i>			
519.	<i>Tamopsis perthensis</i>			
520.	<i>Tarsipes rostratus</i> (Honey Possum, Noobenger)			